


CE

CPS

CE CANAL C ESTÁNDAR

Acero ASTM A-36	fy=2530 Kg/cm ²
Acero ASTM A-529-50	fy=3515 Kg/cm ²
Acero ASTM A-572-50	fy=3515 Kg/cm ²
Acero ASTM A-572-60	fy=4200 Kg/cm ²
Acero ASTM A-992/AISC A572-50	fy=3515-4570 Kg/cm ²



PROPIEDADES

DIMENSIONES

Designación d x peso	Alma		Patín		Distancia		Gramil		Sujetadores			Área cm ²	Distancia		d/A f	Eje X - X			Eje Y - Y			
	tw	bf	tf	T	k	g	g1	Diam Máx. en patín	Espac. recom.	x	eo		I	S		r	I	S	r			
PERFIL	mm x kg/m	in. x lb/ft.	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	mm	cm ⁻¹	cm ⁴	cm ³	cm	cm ⁴	cm ³	cm
CE	76 x 6.10	3 x 4.10	4.32	35.8	6.93	42	17	24	38	-	-	-	7.68	11.07	11.70	3.07	66.6	17.5	2.95	8.32	3.44	1.04
CE	76 x 7.44	3 x 5.00	6.50	38.0	6.93	42	17	24	38	-	-	-	9.42	11.13	9.96	2.89	74.9	19.7	2.82	10.41	3.93	1.04
CE	76 x 8.93	3 x 6.00	9.04	40.5	6.93	41	17	24	38	-	-	-	11.29	11.56	8.18	2.71	87.4	22.9	2.78	12.90	4.42	1.07
CE	102 x 8.04	4 x 5.40	4.57	40.1	7.52	67	18	25	51	-	-	-	10.06	11.61	12.83	3.37	158.2	31.1	3.98	13.32	4.75	1.14
CE	102 x 10.79	4 x 7.25	8.13	43.7	7.52	67	18	25	51	15.9	5/8	50	13.68	11.66	9.81	3.09	187.3	36.9	3.70	18.31	5.74	1.17
CE	127 x 9.97	5 x 6.70	4.83	44.5	8.13	89	19	25	64	-	-	-	12.58	12.29	14.00	3.51	308.0	48.5	4.95	19.98	6.23	1.27
CE	127 x 13.39	5 x 9.00	8.26	47.9	8.13	89	19	29	64	15.9	5/8	50	16.97	12.14	10.85	3.26	366.3	57.7	4.65	26.64	7.37	1.24
CE	152 x 12.20	6 x 8.20	5.08	48.77	8.71	110	21	29	46	15.9	5/8	50	15.42	12.98	15.21	3.59	541.1	71	5.94	29.14	8.19	1.37
CE	152 x 15.63	6 x 10.50	7.98	51.66	8.71	110	21	29	46	15.9	5/8	50	19.81	12.67	12.33	3.99	628.5	82.5	5.64	36.21	9.34	1.35
CE	152 x 19.35	6 x 13.00	11.1	54.79	8.71	110	21	35	46	15.9	5/8	50	24.58	13.06	9.65	3.19	720.1	94.5	5.41	45.79	10.65	1.35
CE	178 x 14.58	7 x 9.80	5.33	53.09	9.3	134	21	32	46	15.9	5/8	50	18.39	12.72	16.45	3.6	878.2	98.8	6.91	40.79	10.32	1.5
CE	203 x 17.11	8 x 11.50	5.59	57.40	9.91	155	24	35	57	19.0	3/4	60	21.68	14.50	17.69	3.57	1 344.4	132.3	7.87	54.11	12.95	1.60
CE	203 x 20.46	8 x 13.75	7.70	59.51	9.91	155	24	35	57	19.0	3/4	60	25.94	14.05	15.35	3.45	1 409.1	146.6	7.59	62.43	14.09	1.57
CE	203 x 27.90	8 x 18.75	12.37	64.19	9.91	155	24	38	57	19.0	3/4	60	35.42	14.35	10.94	3.19	1 818.9	179.0	7.16	83.25	16.39	1.52
CE	229 x 19.80	9 x 13.40	5.92	62.00	10.5	181	24	30	60	19	3/4	60	25.3	15.27	18.95	3.51	1 970	172.0	8.83	70.8	15.1	1.67
CE	254 x 22.76	10 x 15.30	6.10	66.04	11.07	204	25	38	57	19	3/4	60	28.97	16.10	20.21	3.47	2 805.4	221.2	9.83	94.9	19.01	1.81
CE	254 x 29.76	10 x 20.0	9.63	69.57	11.07	204	25	40	57	19	3/4	60	37.94	15.40	16.18	3.29	3 284.1	258.9	9.30	116.96	21.63	1.76
CE	254 x 37.20	10 x 25.0	13.36	73.30	11.07	204	25	40	57	19	3/4	60	47.42	15.67	12.54	3.13	3 796.0	298.2	8.94	139.85	24.45	1.72
CE	254 x 44.70	10 x 30.0	17.09	77.04	11.07	204	25	40	57	19	3/4	60	56.90	16.48	9.36	2.97	4 287.2	339.2	8.69	163.99	27.07	1.70
CE	305 x 30.80	12 x 20.70	7.16	74.73	12.72	247	29	50	64	22.2	7/8	70	39.29	17.73	22.10	3.21	5 369.4	352.3	11.71	161.5	28.35	2.03
CE	305 x 37.20	12 x 25.00	9.83	77.39	12.72	247	29	50	64	22.2	7/8	70	47.42	17.11	18.94	3.3	5 993.7	394.9	11.25	186.05	30.81	1.98
CE	305 x 44.70	12 x 30.00	12.95	80.52	12.72	247	29	50	64	22.2	7/8	70	56.90	17.11	15.70	2.98	6 742.9	442.4	10.89	213.94	33.76	1.94
CE	381 x 50.30	15 x 33.90	10.2	86.00	16.5	308	37	50	76	25.4	1.0	80	64.0	20.00	22.53	2.68	13 000	683.0	14.3	326	48.8	2.26
CE	381 x 59.10	15 x 40.00	13.2	89.00	16.5	308	37	50	76	25.4	1.0	80	75.3	19.74	19.32	2.59	14 300	751.0	13.8	364	51.8	2.2